




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>B42D 15/00</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 98/03348</b> <b>(43) International Publication Date:</b> 29 January 1998 (29.01.98)
<b>(21) International Application Number:</b> PCT/NL97/00401 <b>(22) International Filing Date:</b> 9 July 1997 (09.07.97) <b>(30) Priority Data:</b> 1003663 23 July 1996 (23.07.96) NL <b>(71)(72) Applicant and Inventor:</b> SCHELL, Karel, Johan [NL/NL]; Voorstraat 60, NL-2201 HX Noordwijk (NL). <b>(74) Agent:</b> DE BRUIJN, Leendert, C.; Nederlandsch Octrooibureau, Scheveningseweg 82, P.O. Box 29720, NL-2502 LS The Hague (NL).		<b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> METHOD FOR PROTECTING A PAPER SECURITY DOCUMENT OR IDENTIFICATION DOCUMENT		
		
<b>(57) Abstract</b>  In order to protect a paper-thin valuable document or identification document on which an identification mark has been placed, for example by means of a printing technique or by a laser technique, in such a way that counterfeiting is extremely difficult, at least part of said identification mark is repeated at another point by changing the thickness of the document locally. At least part of the identification mark is thus clearly linked to the paper substrate.		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

<b>AL</b>	Albania	<b>ES</b>	Spain	<b>LS</b>	Lesotho	<b>SI</b>	Slovenia
<b>AM</b>	Armenia	<b>FI</b>	Finland	<b>LT</b>	Lithuania	<b>SK</b>	Slovakia
<b>AT</b>	Austria	<b>FR</b>	France	<b>LU</b>	Luxembourg	<b>SN</b>	Senegal
<b>AU</b>	Australia	<b>GA</b>	Gabon	<b>LV</b>	Latvia	<b>SZ</b>	Swaziland
<b>AZ</b>	Azerbaijan	<b>GB</b>	United Kingdom	<b>MC</b>	Monaco	<b>TD</b>	Chad
<b>BA</b>	Bosnia and Herzegovina	<b>GE</b>	Georgia	<b>MD</b>	Republic of Moldova	<b>TG</b>	Togo
<b>BB</b>	Barbados	<b>GH</b>	Ghana	<b>MG</b>	Madagascar	<b>TJ</b>	Tajikistan
<b>BE</b>	Belgium	<b>GN</b>	Guinea	<b>MK</b>	The former Yugoslav Republic of Macedonia	<b>TM</b>	Turkmenistan
<b>BF</b>	Burkina Faso	<b>GR</b>	Greece			<b>TR</b>	Turkey
<b>BG</b>	Bulgaria	<b>HU</b>	Hungary	<b>ML</b>	Mali	<b>TT</b>	Trinidad and Tobago
<b>BJ</b>	Benin	<b>IE</b>	Ireland	<b>MN</b>	Mongolia	<b>UA</b>	Ukraine
<b>BR</b>	Brazil	<b>IL</b>	Israel	<b>MR</b>	Mauritania	<b>UG</b>	Uganda
<b>BY</b>	Belarus	<b>IS</b>	Iceland	<b>MW</b>	Malawi	<b>US</b>	United States of America
<b>CA</b>	Canada	<b>IT</b>	Italy	<b>MX</b>	Mexico	<b>UZ</b>	Uzbekistan
<b>CF</b>	Central African Republic	<b>JP</b>	Japan	<b>NE</b>	Niger	<b>VN</b>	Viet Nam
<b>CG</b>	Congo	<b>KE</b>	Kenya	<b>NL</b>	Netherlands	<b>YU</b>	Yugoslavia
<b>CH</b>	Switzerland	<b>KG</b>	Kyrgyzstan	<b>NO</b>	Norway	<b>ZW</b>	Zimbabwe
<b>CI</b>	Côte d'Ivoire	<b>KP</b>	Democratic People's Republic of Korea	<b>NZ</b>	New Zealand		
<b>CM</b>	Cameroon			<b>PL</b>	Poland		
<b>CN</b>	China	<b>KR</b>	Republic of Korea	<b>PT</b>	Portugal		
<b>CU</b>	Cuba	<b>KZ</b>	Kazakhstan	<b>RO</b>	Romania		
<b>CZ</b>	Czech Republic	<b>LC</b>	Saint Lucia	<b>RU</b>	Russian Federation		
<b>DE</b>	Germany	<b>LI</b>	Liechtenstein	<b>SD</b>	Sudan		
<b>DK</b>	Denmark	<b>LK</b>	Sri Lanka	<b>SE</b>	Sweden		
<b>EE</b>	Estonia	<b>LR</b>	Liberia	<b>SG</b>	Singapore		

**METHOD FOR PROTECTING A PAPER SECURITY DOCUMENT OR IDENTIFICATION DOCUMENT**

The invention relates to a method for protecting a paper-thin valuable document or identification document on which an identification  
5 mark has been placed.

The fact that all kinds of copying techniques have become available to the public means that it is becoming increasingly important to protect banknotes and documents permitting the identification of persons. Counterfeiting must become increasingly difficult, and  
10 protection must always be ahead of the equipment available to the counterfeiter. Banknotes and passports or other identification documents always have a number or other specific mark by means of which they can be recognized as unique notes or documents.

The object of the invention is to provide a method of the type  
15 mentioned in the preamble which leads to banknotes or identification documents whose abovementioned unique number or mark, or part thereof, is very difficult to counterfeit.

According to the invention, the method referred to in the preamble is characterized in that at least part of said identification  
20 mark is repeated at another point by changing the thickness of the document locally.

The repeat of said identification mark or part thereof is preferably carried out by reducing the thickness of the document by means of laser etching.

25 Laser etching, which is carried out by local removal of, for example, slightly less than half the thickness of the paper or plastic, clearly links the identification mark or part thereof to the paper substrate. By local thinning of the paper or paper-thin plastic, security which is linked to the identification mark is provided.

30 No hologram, film or kinoform image is therefore added, but only substrate material is removed to a certain depth.

As a consequence of laser etching the part of the document having the locally reduced thickness, gets a brown colour, most likely caused by the fact that the energy rich laser beam burns the substrate a  
35 little bit. The brown coloured marks, which are dark with respect to the surrounding substrate, do not have the appearance of a water mark.

Comparing the printed marks with the repeated marks becomes difficult.

By exposing the part of the document on which the repeated part

of the identification mark has been placed, to bleaching or decolouring, the brown colour vanishes. A pre-treatment with a bleaching or decolourizing agent, for instance by an impregnated pad, may take place immediately after the laser etching.

5           Oxidizing bleaching agents are for instance peroxides, hypochlorides, persalts such as potassiumpermanganate ( $\text{KMnO}_4$ ), potassiumpersulphate ( $\text{K}_2\text{S}_2\text{O}_8$ ), sodium perborate ( $\text{NaBO}_3$ ), sodium percarbonate ( $\text{Na}_2\text{CO}_4$ ) and ozone ( $\text{O}_3$ ). It is not excluded that the substrate itself comprises an oxidizing bleaching agent, in which case the  
10 treatment with a bleaching agent immediately after the laser edging can be omitted.

          The invention can be successfully used on a banknote, where the identification mark is the banknote number, and the repeated part of the identification mark obtained by changing the thickness of the document  
15 locally is the so-called check digit of the banknote number.

          The invention also relates to a valuable document or identification document on which an identification mark has been placed, at least part of which is repeated by means of the method described above by changing the thickness of the document locally.

20           The invention will now be explained further with reference to the figure. This figure shows a copy of a banknote, on a slightly enlarged scale.

          It can be seen in the figure that on the lower right-hand side the unique identification number 3681209430 is produced on the paper of  
25 the banknote by means of a printing technique. The last two digits, 30, which are known by the term "check digit", are repeated at another point on the banknote by removing the paper over part of the paper thickness, preferably no more than half the paper thickness, by laser etching. Therefore, by local thinning, additional protection which is linked to  
30 the existing mark is achieved. This local thinning constitutes an extremely great complication for a counterfeiter. The protection against counterfeiting has therefore been greatly improved by a simple trick. Instead of being made of paper, the banknote or the document can be made of plastic with the thickness and flexibility of paper.


35           Furthermore, it is quite possible for the identification number concerned to be applied by laser etching all the way through the paper, instead of by printing.

          Methods other than laser etching for changing the thickness of the document locally, and repeating at least part of the identification

mark in this way, also fall within the scope of the inventive idea.

Claims

1. Method for protecting a paper-thin valuable document or identification document on which an identification mark has been placed, characterized in that at least part of said identification mark is  
5 repeated at another point by changing the thickness of the document locally.
2. Method according to Claim 1, characterized in that the repeat of said identification mark or part thereof is carried out by reducing the thickness of the document by means of laser etching.
- 10 3. Method according to claim 2, characterized in that said part of the document on which the repeated part of the identification mark has been placed, is exposed to bleaching or decolouring.
4. Method according to one of the preceding claims, characterized in that the document is a banknote, in that the identification mark is  
15 the banknote number, and in that the repeated part of the identification mark obtained by changing the thickness of the document locally is the so-called check digit of the banknote number.
5. Valuable document or identification document on which an identification mark has been placed, at least part of which  
20 identification mark is repeated by means of the method according to one of the preceding claims by changing the thickness of the document locally.



# INTERNATIONAL SEARCH REPORT

Internat. Application No.  
PCT/NL 97/00401

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 B42D15/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 B42D B41M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 388 090 A (THE DE LA RUE COMPANY) 19 September 1990	1,5
Y	see claim 6; figure 1	2
Y	DE 36 34 098 A (OESTERREICHISCHE NATIONALBANK) 16 April 1987 see column 3, line 10 - column 4, line 17; figure 1	2
A	DE 43 34 847 A (LEONARD KURZ) 20 April 1995 see the whole document	1,5
A	WO 95 26274 A (INDUSTRIAL AUTOMATION INTEGRATORS) 5 October 1995 see the whole document	2

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*Z\* document member of the same patent family

Date of the actual completion of the international search

2 October 1997

Date of mailing of the international search report

29. 10. 97

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Evans, A



# INTERNATIONAL SEARCH REPORT

Information on patent family members

Intern. al Application No

PCT/NL 97/00401

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 388090 A	19-09-90	DE 69017242 D	06-04-95
		DE 69017242 T	29-06-95
		HK 94696 A	07-06-96
-----			
DE 3634098 A	16-04-87	AT 386159 A	11-07-88
		CH 677290 A	30-04-91
		FR 2588509 A	17-04-87
		GB 2183544 A,B	10-06-87
		JP 62094377 A	30-04-87
		US 4740269 A	26-04-88
-----			
DE 4334847 A	20-04-95	AT 155742 T	15-08-97
		AU 681909 B	11-09-97
		AU 7738994 A	04-05-95
		BR 9407796 A	18-03-97
		CA 2163528 A	20-04-95
		CN 1131930 A	25-09-96
		WO 9510420 A	20-04-95
		DE 59403479 D	28-08-97
		EP 0723501 A	31-07-96
		HU 75148 A	28-04-97
		JP 9503711 T	15-04-97
-----			
WO 9526274 A	05-10-95	NL 9400498 A	01-11-95
		EP 0748286 A	18-12-96
-----			